

# EMG Articles Relevant to Clinical Dentistry since 2000

- 1 Tartaglia GM, Gizdulich A, Farronato M, Gupta RJ, Connelly ST. Electroporation technique for joint pain - Pilot feasibility study on TMD patients. *Clin Exp Dent Res*. 2020 Dec;6(6):642-649. doi: 10.1002/cre2.327. Epub 2020 Oct 14. **Free Article** <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7745067/>
- 2 Mummolo S, Nota A, Tecco S, Caruso S, Marchetti E, Marzo G, Cutilli T. Ultra-low-frequency transcutaneous electric nerve stimulation (ULF-TENS) in subject with craniofacial pain: A retrospective study. *Cranio* 2020 Nov;38(6):396-401. <https://pubmed.ncbi.nlm.nih.gov/30295164/>
- 3 Narita N, Endo H, Ishii T, Kobayashi T, Uchida T, Kantake I, Shibutani K. Effects of denture wearing on coordinated features of jaw and neck muscle activities during chewing in partially edentulous elderly patients. *J Prosthodont Res*. 2020 Oct 9. doi: 10.2186/jpr.JPR\_D\_20\_00004. **Free Article** [https://www.jstage.jst.go.jp/article/jpr/advpub/0/advpub\\_JPR\\_D\\_20\\_00004/article](https://www.jstage.jst.go.jp/article/jpr/advpub/0/advpub_JPR_D_20_00004/article)
- 4 Akat B, Görür SA, Bayrak A, Eren H, Eres N, Erkan Y, Kılıçarslan MA, Orhan K. Ultrasonographic and electromyographic evaluation of three types of occlusal splints on masticatory muscle activity, thickness, and length in patients with bruxism. *Cranio*. 2020 Sep 16:1-10. doi: 10.1080/08869634.2020.1820685 <https://pubmed.ncbi.nlm.nih.gov/32936747/>
- 5 Al-Sulaihi KSA, Thumati P, Poovani S, Radke J. Comparative evaluation of bite force and muscle tonicity between conventional complete dentures and implant supported overdentures: A clinical study. *Adv Dent Tech*. 2020 Aug;2(2):84-92. **Free Article** <https://adtt.scholasticahq.com/article/14485-comparative-evaluation-of-bite-force-and-muscle-tonicity-of-between-conventional-complete-dentures-and-implant-supported-overdentures-a-clinical-study>
- 6 Radke J, Kadamati P, Ruiz-Velasco G. Delayed peak sEMG of elevator muscles in dysfunctional mastication. *Adv Dent Tech*. 2020 Jul;2(2):68-76. **Free Article** <https://adtt.scholasticahq.com/article/14486-delayed-peak-semg-of-elevator-muscles-in-dysfunctional-mastication>
- 7 Almotairy N, Kumar A, Grigoriadis A. Effect of food hardness on chewing behavior in children. *Clin Oral Investig*. 2020 Jun 29. doi: 10.1007/s00784-020-03425-y. <https://pubmed.ncbi.nlm.nih.gov/32613432/>
- 8 Velasco GR, Radke J, Kadamati P. Silent periods during mastication reveal interfering tooth contacts. *Adv Dent Tech*. 2020 April;2(1):116-25. **Free Article** <https://adtt.scholasticahq.com/article/12618-silent-periods-during-mastication-reveal-interfering-tooth-contacts>
- 9 Kosminsky M, Grossmann E, Poluha RL. Primary orthostatic tremor in mandible: A rare case report. *Indian J Dent Res*. 2020 Mar-Apr;31(2):315-317. doi: 10.4103/ijdr.IJDR\_933\_18. **Free article** <https://www.ijdr.in/article.asp?issn=0970-9290;year=2020;volume=31;issue=2;spage=315;epage=317;aulast=Kosminsky>
- 10 Yu WQ, Li XQ, Ma L, Ma XN, Xu X. Gnathology in implant-supported fixed restoration in edentulous mandible. *Hua Xi Kou Qiang Yi Xue Za Zhi*. 2020 Feb 1;38(1):30-36. doi: 10.7518/hxkq.2020.01.006. <https://pubmed.ncbi.nlm.nih.gov/32037763/>
- 11 Thumati P, Thumati RP, Radke J. Changes in objective masticatory measurements after prosthodontic treatment. *Adv Dent Tech*. 2020 January;2(1):69-82. **Free Article** <https://adtt.scholasticahq.com/article/11728-changes-in-objective-masticatory-measurements-after-prosthodontic-treatments>
- 12 Sumanth KS, Thumati P, Poovani S. Digital analysis of occlusion in adult orthodontic subjects using T-Scan III and BioEMG III: A pilot study. *Adv Dent Tech*. 2019 Mar;1(2):22-8. **Free Article** <https://adtt.scholasticahq.com/article/9618-digital-analysis-of-occlusion-in-adult-post-orthodontic-subjects-using-t-scan-iii-and-bioemg-iii-a-pilot-study>

- 13 Ernst M, Schenkenberger AE, Domin M, Kordass B, Lotze M. Effects of centric mandibular splint therapy on orofacial pain and cerebral activation patterns. *Clin Oral Investig*. 2019 Sep 13. doi: 10.1007/s00784-019-03064-y. [Epub ahead of print]
- 14 Melchior MO, Valencise Magri L, Da Silva AMBR, Casal MS, Da Silva MAMR. Influence of tongue exercise and orofacial myofunctional status on the electromyographic activity and pain of chronic painful TMD. *Cranio*. 2019 Aug 20:1-7. doi: 10.1080/08869634.2019.1656918. [Epub ahead of print]
- 15 He S, Wang S, Song F, Wu S, Chen J, Chen S. Effect of the use of stabilization splint on masticatory muscle activities in TMD patients with centric relation-maximum intercuspation discrepancy and absence of anterior/lateral guidance. *Cranio*. 2019 Aug 20:1-9. doi: 10.1080/08869634.2019.1655861. [Epub ahead of print]
- 16 Santiago V, Raphael K. Absence of joint pain identifies high levels of sleep masticatory muscle activity in myofascial temporomandibular disorder. *J Oral Rehabil*. 2019 Dec;46(12):1161-1169. doi: 10.1111/joor.12853. Epub 2019 Jul 21.
- 17 Barbosa MA, Tahara AK, Ferreira IC, Intelangelo L, Barbosa AC. Effects of 8 weeks of masticatory muscles focused endurance exercises on women with oro-facial pain and temporomandibular disorders: A placebo randomised controlled trial. *J Oral Rehabil*. 2019 Oct;46(10):885-894. doi: 10.1111/joor.12823. Epub 2019 May 31.
- 18 Iwasaki LR, Gallo LM, Markova M, Erni S, Liu H, Nickel JC. Night-time autonomic nervous system ultradian cycling and masticatory muscle activity. *Orthod Craniofac Res*. 2019 May;22 Suppl 1:107-112. doi: 10.1111/ocr.12267.
- 19 Sipahi-Calis A, Colakoglu Z, Gunbay S. The use of botulinum toxin-a in the treatment of muscular temporomandibular joint disorders. *J Stomatol Oral Maxillofac Surg*. 2019 Sep;120(4):322-325. doi: 10.1016/j.jormas.2019.02.015. Epub 2019 Feb 23.
- 20 Fassicollo CE, Machado BCZ, Garcia DM, de Felício CM. Swallowing changes related to chronic temporomandibular disorders. *Clin Oral Investig*. 2019 Aug;23(8):3287-3296. doi: 10.1007/s00784-018-2760-z. Epub 2018 Nov 28.
- 21 Kato C, Ono T. Anterior open bite due to temporomandibular joint osteoarthritis with muscle dysfunction treated with temporary anchorage devices. *Am J Orthod Dentofacial Orthop*. 2018 Dec;154(6):848-859. doi: 10.1016/j.ajodo.2017.06.030.
- 22 Guo SX, Li BY, Qi K, Zhang Y, Zhou LJ, Liu L, Wang MQ. Association Between Contact from an Overerupted Third Molar and Bilaterally Redistributed Electromyographic Activity of the Jaw Closing Muscles. *J Oral Facial Pain Headache*. 2018 Fall;32(4):358-366. doi: 10.11607/ofph.2022.
- 23 Hara ES, Witzel AL, Minakuchi H, de Pitta CE, Gallo RT, Okada M, Matsumoto T, Kuboki T, Bolzan MC. Vibratory splint therapy for decreasing sleep clenching: A pilot study. *Cranio*. 2020 Jan;38(1):15-21. doi: 10.1080/08869634.2018.1488652. Epub 2018 Jul 13.
- 24 Ciavarella D, Tepedino M, Laurenziello M, Guida L, Troiano G, Montaruli G, Illuzzi G, Chimenti C, Lo Muzio L. Swallowing and Temporomandibular Disorders in Adults. *J Craniofac Surg*. 2018 May;29(3):e262-e267. doi: 10.1097/SCS.0000000000004376.
- 25 da Silva AMBR, Valencise-Magri L, da Silva MAMR, Sousa-Neto MD. Are the bite force and electromyographic activity altered in muscle TMD patients with abfraction lesions? *Cranio*. 2019 May;37(3):168-174. doi: 10.1080/08869634.2017.1407116. Epub 2017 Nov 24.
- 26 Díaz-Serrano KV, Dias TM, Vasconcelos P, Sousa LG, Siéssere S, Regalo S, Palinkas M. Impact of temporomandibular disorders on the stomatognathic system in children. *Med Oral Patol Oral Cir Bucal*. 2017 Nov 1;22(6):e723-e729. doi: 10.4317/medoral.22000. **Free Article**  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5813991/>

- 27 Guo SX, Li BY, Zhang Y, Zhou LJ, Liu L, Widmalm SE, Wang MQ. An electromyographic study on the sequential recruitment of bilateral sternocleidomastoid and masseter muscle activity during gum chewing. *J Oral Rehabil.* 2017 Aug;44(8):594-601. doi: 10.1111/joor.12527. Epub 2017 Jun 22.
- 28 Ferreira AP, Costa DR, Oliveira AI, Carvalho EA, Conti PC, Costa YM, Bonjardim LR. Short-term transcutaneous electrical nerve stimulation reduces pain and improves the masticatory muscle activity in temporomandibular disorder patients: a randomized controlled trial. *J Appl Oral Sci.* 2017 Mar-Apr;25(2):112-120. doi: 10.1590/1678-77572016-0173. **Free Article** <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5393531/>
- 29 Sójka A, Huber J, Hędzulek W, Wiertel-Krawczuk A, Szymankiewicz-Szukala A, Seraszek-Jaros A, Kulczyk A, Wincek A, Sobieska M. Relations between the results of complex clinical and neurophysiological examinations in patients with temporomandibular disorders symptoms. *Cranio.* 2018 Jan;36(1):44-52. doi: 10.1080/08869634.2017.1290907. Epub 2017 Feb 14.
- 30 Mapelli A, Zanandrea Machado BC, Giglio LD, Sforza C, De Felício CM. Reorganization of muscle activity in patients with chronic temporomandibular disorders. *Arch Oral Biol.* 2016 Dec;72:164-171. doi: 10.1016/j.archoralbio.2016.08.022. Epub 2016 Aug 24. **Free Article** <https://www.sciencedirect.com/science/article/pii/S0003996916302199?via%3Dihub>
- 31 Kerstein RB, Radke J. Average chewing pattern improvements following Disclusion Time reduction. *Cranio.* 2017 May;35(3):135-151. doi: 10.1080/08869634.2016.1190526. Epub 2016 Jun 22. <https://pubmed.ncbi.nlm.nih.gov/27332882/>
- 32 Rodrigues CA, Melchior Mde O, Magri LV, Mestriner W Jr, Mazzetto MO. Is the masticatory function changed in patients with temporomandibular disorder? *Braz Dent J.* 2015 Mar-Apr;26(2):181-5. doi: 10.1590/0103-6440201300198. Epub 2015 Apr 1. **Free Article** [https://www.scielo.br/scielo.php?script=sci\\_arttext&pid=S0103-64402015000200181&lng=en&nrm=iso&tlng=en](https://www.scielo.br/scielo.php?script=sci_arttext&pid=S0103-64402015000200181&lng=en&nrm=iso&tlng=en)
- 33 Lodetti G, Marano G, Fontana P, Tartaglia GM, Maria de Felício C, Biganzoli E, Sforza C. Surface electromyography and magnetic resonance imaging of the masticatory muscles in patients with arthrogenous temporomandibular disorders. *Oral Surg Oral Med Oral Pathol Oral Radiol.* 2014 Aug;118(2):248-56. doi: 10.1016/j.oooo.2014.05.005. Epub 2014 May 20. <https://pubmed.ncbi.nlm.nih.gov/25047932/>
- 34 Yamashita A, Kondo Y, Yamashita J. Thirty-year follow-up of a TMD case treated based on the neuromuscular concept. *Cranio.* 2014 Jul;32(3):224-34. doi: 10.1179/0886963413Z.00000000020. Epub 2014 Jan 24. <https://pubmed.ncbi.nlm.nih.gov/25000166/>
- 35 Mazzetto MO, Rodrigues CA, Magri LV, Melchior MO, Paiva G. Severity of TMD related to age, sex and electromyographic analysis. *Braz Dent J.* 2014 Jan-Feb;25(1):54-8. **Free Article** [https://www.scielo.br/scielo.php?script=sci\\_arttext&pid=S0103-64402014000100054&lng=en&nrm=iso&tlng=en](https://www.scielo.br/scielo.php?script=sci_arttext&pid=S0103-64402014000100054&lng=en&nrm=iso&tlng=en)
- 36 Kumazaki Y, Naito M, Kawakami S, Hirata A, Oki K, Minagi S. Development of a speech-discriminating electromyogram system for routine ambulatory recordings for the low-level masseter muscle activity. *J Oral Rehabil.* 2014 Apr;41(4):266-74. doi: 10.1111/joor.12138. <https://pubmed.ncbi.nlm.nih.gov/24612227/>
- 37 Hugger S, Schindler HJ, Kordass B, Hugger A. Surface EMG of the masticatory muscles. (Part 4): Effects of occlusal splints and other treatment modalities. *Int J Comput Dent.* 2013;16(3):225-39.
- 38 Weggen T, Schindler HJ, Kordass B, Hugger A. Clinical and electromyographic follow-up of myofascial pain patients treated with two types of oral splint: a randomized controlled pilot study. *Int J Comput Dent.* 2013;16(3):209-24. <https://pubmed.ncbi.nlm.nih.gov/24364193/>
- 39 Raphael KG, Janal MN, Sirois DA, Dubrovsky B, Wigren PE, Klausner JJ, Krieger AC, Lavigne GJ. Masticatory muscle sleep background electromyographic activity is elevated in myofascial temporomandibular disorder patients. *J*

Oral Rehabil. 2013 Dec;40(12):883-91. doi: 10.1111/joor.12112. **Free Article**  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3889636/>

40 Chen T, Liao TA, Zhan RJ, Wu LN. Effect of two different kinds of occlusal splints on temporomandibular disorders. Shanghai Kou Qiang Yi Xue. 2013 Oct;22(5):547-50. <https://pubmed.ncbi.nlm.nih.gov/24233207/>

41 Villalón P, Arzola JF, Valdivia J, Fresno MJ, Santander H, Gutiérrez MF, Miralles R. The occlusal appliance effect on myofascial pain. Cranio. 2013 Apr;31(2):84-91.

42 Strini PJ, Strini PJ, Barbosa Tde S, Gavião MB. Assessment of thickness and function of masticatory and cervical muscles in adults with and without temporomandibular disorders. Arch Oral Biol. 2013 Sep;58(9):1100-8. doi: 10.1016/j.archoralbio.2013.04.006. Epub 2013 May 16.

43 Palinkas M, Cecilio FA, Siéssere S, Borges Tde F, de Carvalho CA, Semprini M, de Sousa LG, Regalo SC. Aging of masticatory efficiency in healthy subjects: electromyographic analysis--Part 2. Acta Odontol Latinoam. 2013;26(3):161-6. <https://pubmed.ncbi.nlm.nih.gov/25335369/>

44 Kerstein RB, Radke J. Masseter and temporalis excursive hyperactivity decreased by measured anterior guidance development. Cranio. 2012 Oct;30(4):243-54. <https://pubmed.ncbi.nlm.nih.gov/23156965/>

45 Vieira e Silva CA, da Silva MA, Melchior Mde O, de Felício CM, Sforza C, Tartaglia GM. Treatment for TMD with occlusal splint and electromyographic control: application of the FARC protocol in a Brazilian population. Cranio. 2012 Jul;30(3):218-26. <https://pubmed.ncbi.nlm.nih.gov/22916675/>

46 Cao Y, Zhang W, Yap AU, Xie QF, Fu KY. Clinical characteristics of lateral pterygoid myospasm: a retrospective study of 18 patients. Oral Surg Oral Med Oral Pathol Oral Radiol. 2012 Jun;113(6):762-5. doi: 10.1016/j.oooo.2011.11.010. Epub 2012 Mar 26.

47 Castroflorio T, Falla D, Tartaglia GM, Sforza C, Deregibus A. Myoelectric manifestations of jaw elevator muscle fatigue and recovery in healthy and TMD subjects. J Oral Rehabil. 2012 Sep;39(9):648-58. doi: 10.1111/j.1365-2842.2012.02309.x. Epub 2012 Apr 10. <https://pubmed.ncbi.nlm.nih.gov/22490056/>

48 Hugger S, Schindler HJ, Kordass B, Hugger A. Clinical relevance of surface EMG of the masticatory muscles. (Part 1): Resting activity, maximal and submaximal voluntary contraction, symmetry of EMG activity. Int J Comput Dent. 2012;15(4):297-314. Review. <https://pubmed.ncbi.nlm.nih.gov/23457900/>

49 Daif ET. Correlation of splint therapy outcome with the electromyography of masticatory muscles in temporomandibular disorder with myofascial pain. Acta Odontol Scand. 2012 Jan;70(1):72-7. doi: 10.3109/00016357.2011.597776. Epub 2011 Jul 5. <https://pubmed.ncbi.nlm.nih.gov/21728748/>

50 Botelho AL, Silva BC, Gentil FH, Sforza C, da Silva MA. Immediate effect of the resilient splint evaluated using surface electromyography in patients with TMD. Cranio. 2010 Oct;28(4):266-73. <https://pubmed.ncbi.nlm.nih.gov/21032981/>

51 Ardizzone I, Celemin A, Aneiros F, del Rio J, Sanchez T, Moreno I. Electromyographic study of activity of the masseter and anterior temporalis muscles in patients with temporomandibular joint (TMJ) dysfunction: comparison with the clinical dysfunction index. Med Oral Patol Oral Cir Bucal. 2010 Jan 1;15(1):e14-9. **Free Article**  
[http://www.medicinaoral.com/pubmed/medoralv15\\_i1\\_pe14.pdf](http://www.medicinaoral.com/pubmed/medoralv15_i1_pe14.pdf)

52 Fueki K, Yoshida E, Sugiura T, Igarashi Y. Comparison of electromyographic activity of jaw-closing muscles between mixing ability test and masticatory performance test. J Prosthodont Res. 2009 Apr;53(2):72-7. doi: 10.1016/j.jpor.2008.09.003. Epub 2008 Dec 27.

53 Pereira LJ, Steenks MH, de Wijer A, Speksnijder CM, van der Bilt A. Masticatory function in subacute TMD patients before and after treatment. J Oral Rehabil. 2009 Jun;36(6):391-402. doi: 10.1111/j.1365-2842.2008.01920.x. Epub 2009 Feb 6. <https://pubmed.ncbi.nlm.nih.gov/19210681/>

- 54 Cooper BC, Kleinberg I. Establishment of a temporomandibular physiological state with neuromuscular orthosis treatment affects reduction of TMD symptoms in 313 patients. *Cranio*. 2008 Apr;26(2):104-17. <https://pubmed.ncbi.nlm.nih.gov/18468270/>
- 55 Ries LG, Alves MC, Bérzin F. Asymmetric activation of temporalis, masseter, and sternocleidomastoid muscles in temporomandibular disorder patients. *Cranio*. 2008 Jan;26(1):59-64. <https://pubmed.ncbi.nlm.nih.gov/18290526/>
- 56 Okano N, Baba K, Igarashi Y. Influence of altered occlusal guidance on masticatory muscle activity during clenching. *J Oral Rehabil*. 2007 Sep;34(9):679-84. <https://pubmed.ncbi.nlm.nih.gov/17716267/>
- 57 Shimazaki K, Matsubara N, Hisano M, Soma K. Functional relationships between the masseter and sternocleidomastoid muscle activities during gum chewing. *Angle Orthod*. 2006 May;76(3):452-8.
- 58 Rodrigues D, Siriani AO, Bérzin F. Effect of conventional TENS on pain and electromyographic activity of masticatory muscles in TMD patients. *Braz Oral Res*. 2004 Oct-Dec;18(4):290-5. <https://pubmed.ncbi.nlm.nih.gov/16089258/>
- 59 Castroflorio T, Icardi K, Torsello F, Deregibus A, Debernardi C, Bracco P. Reproducibility of surface EMG in the human masseter and anterior temporalis muscle areas. *Cranio*. 2005 Apr;23(2):130-7. <https://pubmed.ncbi.nlm.nih.gov/15898569/>
- 60 Nakamura T, Baba K, Minami I, Okano N, Ohyama T. Electromyographic evaluation of masticatory function in denture wearers in related to existing occlusal support. *J Med Dent Sci*. 2004 Sep;51(3):173-7. <https://pubmed.ncbi.nlm.nih.gov/15597823/>
- 61 Castroflorio T, Talpone F, Deregibus A, Piancino MG, Bracco P. Effects of a functional appliance on masticatory muscles of young adults suffering from muscle-related temporomandibular disorders. *J Oral Rehabil*. 2004 Jun;31(6):524-9. <https://pubmed.ncbi.nlm.nih.gov/15189308/>
- 62 Pallegama RW, Ranasinghe AW, Weerasinghe VS, Sitheequa MA. Influence of masticatory muscle pain on electromyographic activities of cervical muscles in patients with myogenous temporomandibular disorders. *J Oral Rehabil*. 2004 May;31(5):423-9. <https://pubmed.ncbi.nlm.nih.gov/15140167/>
- 63 Okano N, Baba K, Akishige S, Ohyama T. The influence of altered occlusal guidance on condylar displacement. *J Oral Rehabil*. 2002 Nov;29(11):1091-8. <https://pubmed.ncbi.nlm.nih.gov/12453264/>
- 64 Ferrario VF, Sforza C, Tartaglia GM, Dellavia C. Immediate effect of a stabilization splint on masticatory muscle activity in temporomandibular disorder patients. *J Oral Rehabil*. 2002 Sep;29(9):810-5. <https://pubmed.ncbi.nlm.nih.gov/12366533/>
- 65 Al-Saad M, Akeel RF. EMG and pain severity evaluation in patients with TMD using two different occlusal devices. *Int J Prosthodont*. 2001 Jan-Feb;14(1):15-21. <https://pubmed.ncbi.nlm.nih.gov/11842899/>
- 66 Amemori Y, Yamashita S, Ai M, Shinoda H, Sato M, Takahashi J. Influence of nocturnal bruxism on the stomatognathic system. Part I: a new device for measuring mandibular movements during sleep. *J Oral Rehabil*. 2001 Oct;28(10):943-9. <https://pubmed.ncbi.nlm.nih.gov/11737566/>
- 67 Kamyszek G, Ketcham R, Garcia R Jr, Radke J. Electromyographic evidence of reduced muscle activity when ULF-TENS is applied to the Vth and VIIth cranial nerves. *Cranio*. 2001 Jul;19(3):162-8. <https://pubmed.ncbi.nlm.nih.gov/11482827/>
- 68 Otani-Saito K, Ono T, Ishiwata Y, Kuroda T. Modulation of the stretch reflex of jaw-closing muscles in different modes and phases of respiration. *Angle Orthod*. 2001 Jun;71(3):201-9. <https://pubmed.ncbi.nlm.nih.gov/11407773/>

- 69 Hayakawa I, Hirano S, Takahashi Y, Keh ES. Changes in the masticatory function of complete denture wearers after relining the mandibular denture with a soft denture liner. *Int J Prosthodont.* 2000 May-Jun;13(3):227-31. <https://pubmed.ncbi.nlm.nih.gov/11203637/>
- 70 Glaros AG, Forbes M, Shanker J, Glass EG. Effect of parafunctional clenching on temporomandibular disorder pain and proprioceptive awareness. *Cranio.* 2000 Jul;18(3):198-204. <https://pubmed.ncbi.nlm.nih.gov/11202838/>
- 71 Hiyama S, Ono PT, Ishiwata Y, Kuroda T, McNamara JA Jr. Neuromuscular and skeletal adaptations following mandibular forward positioning induced by the Herbst appliance. *Angle Orthod.* 2000 Dec;70(6):442-53. <https://pubmed.ncbi.nlm.nih.gov/11202838/>
- 72 Pinho JC, Caldas FM, Mora MJ, Santana-Penín U. Electromyographic activity in patients with temporomandibular disorders. *J Oral Rehabil.* 2000 Nov;27(11):985-90. <https://pubmed.ncbi.nlm.nih.gov/11106990/>
- 73 Fukuyama E, Fujita Y, Soma K. Changes in jaw-jerk on different levels of jaw closure and teeth-clenching in humans. *J Oral Rehabil.* 2000 Nov;27(11):967-77. <https://pubmed.ncbi.nlm.nih.gov/11106988/>
- 74 Baba K, Akishige S, Yaka T, Ai M. Influence of alteration of occlusal relationship on activity of jaw closing muscles and mandibular movement during submaximal clenching. *J Oral Rehabil.* 2000 Sep;27(9):793-801. <https://pubmed.ncbi.nlm.nih.gov/11012855/>
- 75 Yugami K, Yamashita S, Ai M, Takahashi J. Mandibular positions and jaw-closing muscle activity during sleep. *J Oral Rehabil.* 2000 Aug;27(8):697-702. <https://pubmed.ncbi.nlm.nih.gov/10931265/>